



Watermark Medical ARES Questionnaire

PRINT IN CAPITAL LETTERS – STAY WITHIN THE BOX

First Name		Middle Initial	Last Name		Tally ARES Risk Points
Weight	Pounds	Age	Years	Gender Male <input type="radio"/> Female <input type="radio"/>	
Height	Feet	Inches	Neck Size	Inches	Neck Size +2 Male ≥16.5 +2 Female ≥15.0
Date of Birth	Month	Day	Year	ID Number	Optional

Score

COMPLETELY FILL IN ONE CIRCLE FOR EACH QUESTION – ANSWER ALL QUESTIONS

Have you been diagnosed or treated for any of the following conditions?

High blood pressure	Yes <input type="radio"/>	No <input type="radio"/>	Stroke	Yes <input type="radio"/>	No <input type="radio"/>
Heart disease	Yes <input type="radio"/>	No <input type="radio"/>	Depression	Yes <input type="radio"/>	No <input type="radio"/>
Diabetes	Yes <input type="radio"/>	No <input type="radio"/>	Sleep apnea	Yes <input type="radio"/>	No <input type="radio"/>
Lung disease	Yes <input type="radio"/>	No <input type="radio"/>	Nasal oxygen use	Yes <input type="radio"/>	No <input type="radio"/>
Insomnia	Yes <input type="radio"/>	No <input type="radio"/>	Restless leg syndrome	Yes <input type="radio"/>	No <input type="radio"/>
Narcolepsy	Yes <input type="radio"/>	No <input type="radio"/>	Morning Headaches	Yes <input type="radio"/>	No <input type="radio"/>
Sleeping Medication	Yes <input type="radio"/>	No <input type="radio"/>	Pain Medication e.g., vicodin, oxycontin	Yes <input type="radio"/>	No <input type="radio"/>

Co-morbidities
+1 for each Yes response

Score

Do not assign any points for these eight responses

Epworth Sleepiness Scale: How likely are you to doze off or fall asleep in the following situations, in contrast to just feeling tired? This refers to your usual way of life in recent times. Even if you have not done some of these things recently, try to work out how they would have affected you. Use the following scale to mark the most appropriate box for each situation. (M.W. Johns, Sleep 1991)

0 = would never doze	1 = slight chance of dozing		0	1	2	3
2 = moderate chance of dozing	3 = high chance of dozing					

Sitting and reading	○	○	○	○
Watching TV	○	○	○	○
Sitting, inactive, in a public place (theater, meeting, etc)	○	○	○	○
As a passenger in a car for an hour without a break	○	○	○	○
Lying down to rest in the afternoon when circumstances permit	○	○	○	○
Sitting and talking to someone	○	○	○	○
Sitting quietly after lunch without alcohol	○	○	○	○
In a car, while stopped for a few minutes in traffic	○	○	○	○

Epworth Score **TOTAL** the values from all 8 questions, If 11 or less Score = 0 If 12 or more Score = 2

Score

Assign points for each of the first three responses

Frequency	0 - 1 times/week	1 - 2 times/week	3 - 4 times/week	5 - 7 times/week
------------------	------------------	------------------	------------------	------------------

On average in the past month, how often have you snored or been told that you snored?

Never Rarely +1 Sometimes +2 Frequently +3 Almost always +4

Do you wake up choking or gasping?

Never Rarely +1 Sometimes +2 Frequently +3 Almost always +4

Have you been told that you stop breathing in your sleep or wake up choking or gasping?

Never Rarely +1 Sometimes +2 Frequently +3 Almost always +4

Do you have problems keeping your legs still at night or need to move them to feel comfortable?

Never Rarely Sometimes Frequently Almost always

Signature	Area Code	Phone Number	Total all 6 boxes from above	Point Total
			If point total = 4 or 5 (low risk), 6 to 10 (high) and 11 or more (very high risk)	